# FIREFIGHTER I

# PRACTICAL SKILLS CERTIFICATION EVALUATION PACKET

(NFPA Standard 1001, 2019 Edition)

Revised February, 2024

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.1.2A

Can	Candidate: Date:									
STA	NDAR	D: NFPA 1001: 4.1.2	KILL AREA: F	Persona	al Pro	tectiv	e Equ	ıipme	nt	
TAS for re		n personal protective clothing within one (	(1) minute: doff	persona	al prote	ective	clothin	g and p	orepar	е
		<b>ANCE OUTCOME:</b> The candidate shall be to prepare the personal protective clothing		erly don	persor	nal pro	tective	clothii	ng in o	ne
EQU	IIPMEI	NT: Bunker pants and boots, coat, hood, g	gloves, and he	lmet.						
Con	IDITIO	NS: Given personal protective clothing, the	ne candidate sl	nall dem	onstra	te the	ability	to:		
					1		1			
	No.	TASK STEPS				TE	ST	RET	EST	
						Р	F	Р	F	
		DONNING:								
	1.	***Don hood (covering hair, ears, and nee	, , ,							
	2.	***Don pants and boots (cuffs over boots, suspenders in place, waist fastened) (P/F)								
	3.	***Don coat (storm flap closed, collar up and secured, cuffs in place) (P/F)								
	4.	***Don helmet (chin strap connected, ade shroud down) (P/F)	equately tighte	ned, ear						
	5.	***Don gloves (covering wrist completely)	) (P/F)							
	6.	***Complete above correctly within one (	1) minute (P/F)	)						
		DOFFING:								
	7.	Perform field reduction of contaminants.								
	8.	Doff and place all equipment in a ready s	state for reuse.							
Eva	luato	r:	Retest I	Evaluat	or:					
Con	nmer	nts:	•							
				_						<u></u>
Evaluat	valuator Name  Date  Overall Skill Sheet Result:  6 out of 8 required									
Evaluat	***critical skill required						u			
	Pass (P):   Fail (F):					):□				

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.1.2B

Can	dida	te:					Date	е:			
STA	STANDARD: NFPA 1001: 4.1.2, 4.3.20 SKILL AREA: Rope, Knots, Tool Hoisting										
Tas	<b>K:</b> Ho	ist a tool and/or piece of equipmen	t using ro	pe and the	correct	knot(s).	•				
		<b>ANCE OUTCOME:</b> The candidate ed a tool or piece of equipment to a							knot ar	nd hois	t or
	<b>EQUIPMENT:</b> Utility rope, forcible entry tools, pike pole, ground ladder, roof ladder, hose line, full protective equipment, and/or appliance.										
Con	CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:										
	No. TASK STEPS						TE	ST	RET	EST	
							Р	F	Р	F	
		Proctor selects one of the following tools and/or piece of equipment for final certification examination:									
		a. Forcible entry tool	<b>d.</b> 🗌 H	Hose line (C	Charged)						
		<b>b.</b> Pike pole	e. 🗌 H	Hose line (L	Jncharge	ed)					
		c. Roof ladder	f. 🗌 (	Other:							
	1. ***Wears appropriate PPE										
	2.	***Tie a fire department approved selected	knot(s) to	or the tools	or equip	ment					
	3.	Utilize a safety knot (if appropriate									
	4.	***Hoist or have hoisted a tool and designated height.	l/or piece	of equipm	ent to a						
	5.	Until the knot(s) without difficulty.									
Eva	luato	or:		Retest	: Evalua	ntor:					
Con	nmer	nts:				l .					
Evaluat	Valuator Name  Date  Overall Skill Sheet Result:  4 out of 5 required  ***critical skill required										
Evaluat	***critical skill required  Pass (P):  Fail (F):										

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.1.2C

Cand	lidate	):				Date	:		
STAN	DARD	: NFPA 1001: 4.1.2	SKILL	AREA: Resp	onse In	format	ion Gu	idelines	<b>3</b>
		nce Outcome: The candidate sh					en docu	ments	
policie	s, prod	cedures, and standard or code mater	ials.						nk
	EQUIPMENT REQUIRED: Department Standard Operating Procedures and NFPA Standard or Code Book.  CONDITIONS: Given department reference material, the candidate shall demonstrate the ability to:								
	No.	Task Ste	EPS			TEST		ETEST	
	1.	Locate a department standard operating procedure				P [	F P	F 	
	Select one of the following tasks:								
	2.	Locate a standard or departmental	material.						
Evalu	uator	:		Retest Eval	uator:				
Com	ment	s:	<u>'</u>		<u> </u>				
Evaluator	valuator Name  Date  Overall Skill Sheet Result: 2 out of 2 required								
Evaluator Signature Pass (P):				): 🗆	Fail (	F): 🗆			

Can	Candidate:						e:			
STA	NDAR	<b>D:</b> NFPA 1001: 4.2.1	SKII	LL AREA: Initiate	Emer	gency	y Resp	oonse		
comi		tiate a response to a reported emerge ations equipment is operated correctly enter.							ely to	the
	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate fire department communications equipment, relay information, and record information.									
Equ	JIPMEI	NT REQUIRED: Department SOP/SC	G, cor	nmunication equipm	ent, pa	aper, a	nd pen	cil.		
Con	IDITIO	NS: Given a scenario of a reported a	larm, 1	the candidate shall d	emons	strate t	he abil	ity to:		
	No. TASK STEPS TEST RETEST									
						Р	F	Р	F	
	1.	Verbalize how the alarm is received								
	2. Write proper address and nature of the emergency									
	3.	Promptly contacts dispatch by radio received (or simulate)	otly contacts dispatch by radio indicating an alarm has been ed (or simulate)							
	4.	Notify dispatch that a response to th initiated	e eme	rgency has been						
Eva	luato	or:		Retest Evaluat	tor:					
Cor	nmer	nts:								
									_	
Evaluat	Valuator Name  Date  Overall Skill Sheet Result:  3 out of 4 required									
Evaluator Signature Pass (P):   Pass (P):   Fail (F):					):□					

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.2.2

Can	dida	te:				Dat	e:			
STAI	NDAR	<b>D:</b> NFPA 1001: 4.2.2	KILL <b>A</b> REA:	Phone C	Opera	tions				
		ven a fire department phone, receive a telent nd the caller's information is relayed.	lephone call, s	so that pro	cedur	es for	answe	ring the	e phor	ne
	FORM ment.	ANCE OUTCOME: The candidate shall be	be able to ope	erate fire s	tation	teleph	one ar	nd inter	com	
Equ	QUIPMENT: Telephone, paper, and pencil.									
Con	CONDITIONS: Given a real or simulated call from the proctor, the candidate shall demonstrate the ability to:									
No. TASK STEPS TES						ST	RET	EST		
						Р	F	Р	F	
ľ	1. Answer the call promptly									
	2.	Identify himself/herself and the department								
	3.	Ensure paper and pencils (or pen) are a	sure paper and pencils (or pen) are available							
	4.	Take an appropriate message (e.g.: date phone number and person taking call)	e an appropriate message (e.g.: date, time, caller, caller's ne number and person taking call)							
	5.	End the call courteously and in a timely r	manner							
ţ	6.	Deliver a message or transfer the call to		ate person						
Eva	luato	or:	Retest	: Evaluate	or:					
Con	nmer	nts:								
						arall	Crill (	Shoot	Pos	ııltı
Evaluato	Date Overall Skill Sheet Result: 5 out of 6 required									
Evaluator Signature  Pass (P):   Fail (F):					): 🗆					

Candidate:		Date:		
STANDARD: NFPA 1001: 4.2.3, 4.2.4  SKILL AREA: Radio Operations & Initiate Emergency Call for Assistance				
<b>TASK:</b> Transmit and receive messages via the fire department radio, so that the information is accurate, complete, clear, and relayed within the time established by fire department policy and procedure.  Activate an emergency call for assistance, so that the fire fighter can be located and rescued.				
<b>PERFORMANCE OUTCOME:</b> The candidate sh follow fire department etiquette for routine traffic, The candidate shall demonstrate the ability to act AHJ procedures and the ability to use other methods.	emergency traffic, and emergency tivate an emergency call for assis	cy evacuation signals.		
<b>EQUIPMENT:</b> Fire department portable radio, interior structure props, full protective clothing and SCBA.				
<b>CONDITIONS:</b> Given a simulated fire scenario (Routine and Emergency Traffic), and given vision-obscured conditions (Emergency Call for Assistance), the candidate shall demonstrate the ability to:				

No.	TASK STEPS	TE	ST	RET	EST	
		Р	F	Р	F	
Proctor select between Routine and Emergency Traffic for final certification examination						
	a. Routine Traffic: Non-emergent situations					
	<b>b.</b> Emergency Traffic: Emergent situations					
1.	Determine there is no other radio traffic before transmitting (unless emergency traffic).					
2.	Speak calmly, clearly, distinctly and at a medium speed.					
3.	Transmit a message that is brief, accurate and to the point					
4.	Identify who the message is addressed to					
5.	Identify the person or unit transmitting					
6.	Provides correct information					
7.	Acknowledges information back from command (if applicable).					
Initiate Em	ergency Call for Assistance (to be completed along with	the ab	ove s	ection	)	
8.	Initiate an emergency call for assistance according to AHJ procedures (Mayday)					
9.	Speak calmly, clearly, distinctly and at a medium speed.					
10.	Transmit a message that is brief, accurate and to the point					
11.	Identify who the message is addressed to					
12.	Identify the person or unit transmitting					
13.	Provides correct information during emergent situation (i.e. firefighter mayday).					
14.	Acknowledges information back from command (if applicable).					
15.	Conserves air supply (or states importance of conserving					

		air)	
	16.	Uses (or describes) other methods for emergence assistance (PASS alarm, banging with tool, etc.)	y calls for
Eva	luator:	Retest Eval	luator:
Cor	nments:		
Evaluat	tor Name	Date	Overall Skill Sheet Result: 12 out of 16 required
Evaluat	tor Signature		Pass (P): ☐ Fail (F): ☐

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.1A

Candi	date:			Date:				
STANDA	RD: N	FPA 1001: 4.3.1 <b>SKILL ARE</b>	EA: Don/Doff Self C	ontaine	d Bre	athin	д Арр	aratus
		BA during emergency operations, so that the rectly worn.	SCBA is correctly dor	ned and	activa	ted wit	hin 1 n	ninute,
	RFORMANCE OUTCOME: The candidate shall demonstrate the ability to: correctly complete SCBA donning occdures within one (1) minute.							
EQUIPM	ENT:	Complete SCBA ensemble and full bunker ge	ear.					
SCB.	CONDITIONS: Given a non-fire ground environment, the candidate shall demonstrate the ability to complete all tasks.  SCBA donning starts when indicated by the Evaluator and ends when the candidate indicates completion  The candidate must successfully complete all steps 2-9 within one [1] minute  All procedures must adhere to the fire department procedure and manufacturer's specifications							l tasks.
	No.	TASK STEPS		TE	ST	RET	FST	
				Р	F	P	F	
	1. Verify that the SCBA is ready for service and confirm the amount of air in the cylinder is above minimum acceptable level							
		DONNING:						
	2.	***Open SCBA cylinder valve		$\bot$				
	3. 4.	***Correctly don SCBA backpack assembly  ***Check gauge for operation and verbalize a	air cylindar prossura	+	$\vdash$			
	5.	***Verify activation and operation of pass de						
	6.	***Correctly don face piece	VICC			H		
	7.	***Check face piece seal and operation of ex	chalation valve					
	8.	***Connect face piece to air supply/regulator					$\exists$	
	9.	***Have all personal protective clothing corre						
	10.	***Correctly accomplished above steps within						
		DOFFING:						
	11.	Remove SCBA and place all equipment in a	ready state for reuse					
Eva	luato	:	Retest Evaluator:					
Con	nmen	rs:						
00.								
	Evaluator Name Date  Overall Skill Sheet Result: 9 out of 11 required ***critical skill required							
⊨valuat	Pass (P):   Fail (F):					(F): 🗆		

Candi	idate	<b>:</b>			Dat	e:			
STAND	DARD	: NFPA 1001: 4.3.1	SKILL AREA:	Use Self Co Apparatus-			_		
techniq	<b>TASK:</b> Use SCBA during emergency operations, so that the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised.								
SCBA;	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: control breathing while using the SCBA; initiate and complete emergency procedures in the event of SCBA failure; recognize all low-air warnings.								
EQUIP	MENT	: Complete SCBA ensemble and f	full bunker gear.						
task ste	eps.	S: Given a non-fire ground environ edures must adhere to the fire depart						complet	e all
N	lo.	TASK S	TEPS		TE	ST	RE	rest	
	P F P F								
1	1. ***Recognize and acknowledge all low air warning alarms								
		Conservation Of Air:							
2	2.	Demonstrate controlled breathing: (e.g., Inhale through the nose, exhale through the mouth, and control rate of breathing)							
		SCBA FAILURE: Air Delivery System-							
3		**Check regulator/open bypass							
	<b>4</b> . r	Check that the low pressure line bet educer is intact		and pressure					
		Check cylinder valve making certain Regulator Failure-	n it is fully open			Ш	Ш		
-		Open by-pass slowly							
<u> </u>		Close by-pass after each breath							
8	8. (	Open bypass for next breath							
Evalu	ator	:	Retes	st Evaluator:					
Comn	Comments:								
Evaluator N	Valuator Name  Date  Overall Skill Sheet Result: 6 out of 8 required  ***critical skill required								
_valuat01 s	oigriall				Pass	(P):		Fail	( <b>F</b> ): □

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.1B2

Candida	ie.			Date	e.			
STANDAR	<b>D:</b> NFPA 1001: 4.3.1	KILL <b>A</b> REA:	Use Self Co Apparatus-			_	ing	
are enacte	se SCBA during emergency operations, s d if necessary, all low-air warnings are re is not intentionally compromised.							es
	IANCE OUTCOME: The candidate shall is in the event of air depletion; recognize a							ncy
EQUIPME	NT: Complete SCBA ensemble and full b	bunker gear.						
task steps	CONDITIONS: Given a non-fire ground environment the candidate shall demonstrate the ability to complete all task steps.  • All procedures must adhere to the fire department procedure and manufacturer's specifications							
No.	TASK STEPS	<u> </u>		TE	ST	RET	EST	
				Р	F	Р	F	
	DEPLETION OF AIR SUPPLY: Out of air with no air resupply availal	ble-						
1.	***Activate pass device							
2.	Initiate emergency breathing techniques	s (per AHJ)						
3.		Exit hazardous area rapidly						
	Out of air with full cylinder available atmosphere)-	(non-nazardo	ous					
4.	Doff backpack (skip if changing cylinder	r on a team m	nember)					
5.	***Close cylinder valve and release pres		·					
6.	Disconnect hose/pack assembly from c	ylinder						
7.	Remove depleted cylinder							
8.	***Replace with cylinder containing air			$\perp$				
9. 10.	Connect hose/pack assembly to cylinde  ***Turn on cylinder and check regulator			+ $+$ $+$ $ +$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$				
11.	Re-don backpack (skip if changing cylin	•	n member)					
<u> </u>	The deri backpack (only it changing cylin							
Evaluato	or:	Retes	st Evaluator.	;				
Comme	nts:							
Evaluator Nam	valuator Name  Date  Overall Skill Sheet Result:  9 out of 11 required  ***critical skill required							
- Endate Orgi				Pass	(P):		Fail	(F): □

NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 4.3.1C

Candidate:	Date:
<b>STANDARD:</b> NFPA 1001: 4.3.1	SKILL AREA: Use Self Contained Breathing Apparatus- Restricted Passage

**TASK:** Given SCBA and other personal protective equipment, use SCBA during emergency operations, so that the SCBA is correctly worn, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion.

**PERFORMANCE OUTCOME:** While operating at a simulated fire scene the candidate shall demonstrate the ability to recognize all low-air warnings and exit through a restricted passage while using the SCBA.

**EQUIPMENT:** Complete SCBA ensemble, full bunker gear, and prop for restricted opening.

**CONDITIONS:** Given a non-fire ground environment with a restricted passage, the candidate shall demonstrate the ability to complete all task steps.

- The candidate must have full PPE and be on SCBA air before completing the restricted passage steps
- All procedures must adhere to the fire department procedure and manufacturer's specifications

No.	Task Steps	TE	ST	RET	EST
		Р	F	Р	F
	RESTRICTED PASSAGE: Demonstrate the ability to maneuver through a restricted passage while using SCBA (on air) while utilizing one of the two methods (chosen by candidate) listed below:				
	☐ Remove the Backpack Method:				
1.	Remove SCBA backpack, not compromising face-piece seal or ability to breathe				
2.	Push backpack through opening, not compromising SCBA operation				
3.	Enter opening and proceed through opening completely				
4.	***Re-don SCBA backpack assembly				
5.	***Ensure that mask seal or SCBA functioning was not compromised during maneuver				
6.	***Exit hazardous area prior to air depletion				
	Reduce Profile Method:				
1.	Loosen straps as necessary to reduce profile by sliding tank to side				
2.	Reduce profile further by removing one or both backpack harness straps (ONLY if necessary to maneuver through passage)				
3.	Enter opening and proceed through opening completely				
4.	***Re-don/Secure SCBA backpack assembly to body				
5.	***Ensure that mask seal or SCBA functioning was not compromised during maneuver				
6.	***Exit hazardous area prior to air depletion				

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.1C

Evaluator:	Retest Evalua	tor:
Comments:		
Evaluator Name	Date	Overall Skill Sheet Result: 5 out of 6 required
Evaluator Signature		***critical skill required  Pass (P):   Fail (F):

### NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS

Can	ndidate:					Date	e:				
STA	NDAR	<b>D:</b> NFPA 1001: 4.3.2	SKILL ARE	A: Appa	aratus	us Response					
dism corre	ounted ectly us		is in motion,	and othe	r perso	ersonal protective equipment is					
and t	PERFORMANCE OUTCOME: The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment.										
in en	<b>EQUIPMENT:</b> Fire apparatus, personal protective equipment, hearing protection, eye protection ( <i>for those not in enclosed cabs</i> ), and SCBA's for departments/organizations that allow or require firefighters to don SCBA's while in route to the emergency.										
Con	IDITIO	NS: Given a simulated fire scenario, t	he candidate	shall den	nonstra	te the abi	ility to:				
	No.	TASK STE	:PS			TE:		RET			
		Mounting:					F	Р	F		
	***Properly don personal protective clothing										
	2.	State that the vehicle is not in motion	-								
	3.	Mount fire apparatus using handrails									
	4.	Close door, safety bar, gate to cab or	compartmen	t							
	5.	***Sit and fasten seat belt				$\bot$		Щ.			
	6.	Correctly use any other personal prot	ective equipn	nent furni	shed						
	7.	DISMOUNTING:  Wait for order(s) before leaving apparent	ratue								
		***State that vehicle must be complet		efore lea	vina						
	8.	apparatus	ory otoppour	01010104	viiig		Ш	Ш			
	9.	***Look for hazards before stepping of									
	10.	Safely step from vehicle using handra	ails								
Eva	luato	r:	Ret	est Eval	luator:						
Con											
Con	nmer	its:									
	or Name			Date	Overall Skill Sheet Resu 8 out of 10 required ***critical skill required						
∟valuat	or Signa	ature			P	ass (F	P): 🗆	Fa	ail (F): □		

Can	dida	didate:						Dat	e:			
STA	NDAR	<b>D:</b>	NFPA 1001: 4.3.3	Skili	L <b>A</b> R	EA: Emerge	ency S	Scene	Oper	ation	S	
scen worn	es, tra , prote	ffic h	sh and operate in work areas at emazards and downed electrical wire I work areas are established, and thareas.	s, so t	hat p	rocedures are	follow	ed, pro	otective	e equip	ment	
and s	PERFORMANCE OUTCOME: The candidate shall be able to use personal protective equipment, deploy traffic and scene control devices, dismount apparatus, and safely operate in the protected work areas as appropriate.											
Con	IDITIO	NS:	Fire apparatus, personal protective Given a scenario within an emerge didate shall demonstrate the ability	ency s						mulate	d high	ıway
	No.		TASK STEP	PS				TE	ST	RET	EST	
							-	Р	F	Р	F	
		Select one of the following scenarios for final certification examination:										
			. Structure fire scene									
		b	.   Roadway emergency scenes									
		С										
		d										
	1.	Su	rvey emergency scene for hazards	accord	ding	to department						
	2.	***	dentify potential for injury based or	ident	ified	hazards						
	3.	Ve	rbalize a plan for mitigation of haza	rds								
	4.		Properly dismounts apparatus with									
	5.		ing traffic cones, and verbalizing the ablish a safe work area	e place	emer	nt of apparatus	5,					
	6.	Ve	rbalize how structure, roadway eme									
			zards, and downed power lines wou				d					
	7.	***	Describe measures to ensure conti	nued s	scene	safety						
Eva	luato	r:			Re	etest Evalua	tor:					
Con	nmer	its:										
_												
	or Nam					Date		6 o	Skill ut of 7 al skill	requ	ired	ult:
Evaluat	or Signa	ature							P): 🗆	•	ail (F	·): 🗆
								- <b>-</b> (.	,. –		(•	<b>,</b> -

Candidate:		Date:					
<b>STANDARD:</b> NFPA 1001: 4.3.4	у						
<b>TASK:</b> Force entry into a structure, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry.							
<b>PERFORMANCE OUTCOME:</b> The candidate sh power tools and to force entry through doors, win	· · · · · · · · · · · · · · · · · · ·	•					
<b>EQUIPMENT:</b> Personal protective equipment, appropriate hand tools or power tools, and forcible entry prop for a door, window, and wall breach (if available).							
CONDITIONS: Given a simulated fire scenario, t	he candidate shall demonstrate t	he ability to:					

No.	TASK STEPS	TE	ST	RET	EST
Ï		Р	F	Р	F
	Proctor selects one of the following scenarios for final certification examination:				
	a.  Force entry through door				
	<b>b.</b> Force entry through window				
	c.  Force entry through wall				
	a. Door:				
1.	***Wears appropriate PPE				
2.	Select the correct tool(s)				
3.	Safely carry the selected tool(s) to the door				
4.	Try the door to verify it is locked before forcing				
5.	Correctly size up the door				
6.	Choose an appropriate technique and demonstrate or simulate forced entry				
7.	***Use hand and eye protection				
8.	Clear opening all of obstacles				
	b. WINDOW:				
1.	***Wears appropriate PPE				
2.	Select the correct tool(s)				
3.	Safely carry the selected tool(s) to the window				
4.	Try the window to verify it is locked before forcing				
5.	Correctly size up the window				
6.	Choose an appropriate technique and demonstrate or simulate forced entry				
7.	***Use hand and eye protection				
8.	Clear opening all of obstacles				

#### NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS

	TASK STEPS			ST	RE		
			Р	F	Р	F	
C.	Wall:						
**:	*Wears appropriate PPE						
Co	orrectly size up the wall to be breached						
Id	entify common breaching hazards						
Se	elect the correct tool(s) for the type of wall						
**:	*Use hand and eye protection						
M	ake an appropriately sized opening	Ĭ					
CI	lear the opening of obstacles						
or: nts:		tor:					
nature	Date	**	6 <sup>k</sup> criti	out of cal ski	8 req ill req	uired uired	
	c.  ** Cd Id Se se te ** M Cl  or:	c. WALL:  ***Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  or:  Retest Evalua  Date	c. WALL:  ****Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  or:  Retest Evaluator:  nts:	C. WALL:  ***Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  Or:  Retest Evaluator:  me  Date  Overa  6  ***criti	C. WALL:  ***Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  **Retest Evaluator:  ***Titical Skill**  ***Critical Skill**  ****Critical Skill**  ***Critical Skill**  ***Critical Skill**  ****Critical Skill**  *****Critical Skill**  ******Critical Skill**  *****Critic	C. WALL:  ***Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  **Retest Evaluator:  ***Titical Skill Sheen to the protection in the protec	c. WALL:  ****Wears appropriate PPE Correctly size up the wall to be breached Identify common breaching hazards Select the correct tool(s) for the type of wall Sound for studs (if appropriate) and choose an appropriate technique and demonstrate or simulate forced entry  ***Use hand and eye protection Make an appropriately sized opening Clear the opening of obstacles  ***Citical Skill Sheet Research  ***Coverable Skill Sheet Research  ***Coverable Skill Sheet Research  ***Coverable Skill Sheet Research  ***Critical skill required

Can	dida	te:		Date:					
STAI	NDAR	D: NFPA 1001: 4.3.5., 4.3.1	KILL AREA: Exit Ha	zardo	us En	viron	ment		
		it a hazardous area as a member of a tear ers are not endangered, and the team inte		n is fou	ind be	fore ex	haustii	ng the	air
visior	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate as a team member in vision-obscured conditions, locate and follow a guideline, conserve air supply, and evaluate areas for hazards and identify a safe haven.								
Equ	EQUIPMENT: Personal protective equipment, SCBA (on air), hand tools, obscured vision, and hose line/guideline.								
		NS: Given a simulated fire scenario and a ate shall demonstrate the ability to:	as a member of a team	with v	rision-d	obscur	ed con	ditions	5,
Ī	No.	TASK STEPS			TE	ST	RET	EST	
							Р	F	
	1.	***Determine air supply available when e atmosphere							
	2.	***Monitor the air supply available while i	•	ere					
	3.	***Identify the need to leave hazardous a depletion of air supply while maintaining							
	4.	***Communicate need for egress with tea							
	5.	***Locate hose line or guideline and dete travel for egress	ermine correct method	of					
Ì	6.	***Follow hose line or guideline towards	exit with all team mem	bers					
	7.	***Exit hazardous atmosphere with all teadepletion of air supply	am members before						
Eva	luato	r:	Retest Evaluat	tor:					
Con	nmer	ts:		•					
Evaluate	or Name		Date		7 ot	<u>Skill :</u> ut of 7 al skill	requi	ired	<u>ult:</u>
Evaluate	or Signa	ature				P): 🗆	•		): 🗆

Candidate:	Date:						
<b>STANDARD:</b> NFPA 1001: 4.3.6	SKILL AREA: Ground Ladders						
<b>TASK:</b> Set up ground ladders, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.							
PERFORMANCE OUTCOME: The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards.							
<b>EQUIPMENT:</b> 24' or 35' extension ladder, and full personal protective clothing, and SCBA.							
CONDITIONS: Given a simulated fire scenario a	nd a team, the candidate shall de	emonstrate the ability to:					

No.	Task Steps	TE	ST	RET	EST
		Р	F	Р	F
	Proctor selects one of the following scenarios for final certification examination:				
	<ul> <li>a.  Window Ventilation: Place along side to windward (upwind) side, with tip even or above top of window.</li> <li>b.  Rescue from window or entry through window: Place slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder to rescue or entry.</li> <li>c. Work with hose with no entry: Tip placed on wall above window opening if no flames from window or at sill if flames out</li> </ul>				
	window.  d. Access roof: Place ladder to access roof with 3-5 rungs above the roof edge or point of contact.				
	DEPLOY, RAISE, AND EXTEND LADDER				
1.	***Wears appropriate PPE				
2.	Select the proper length ladder for the designated task	Ш		Ш	
3.	Coordinate with team member to correctly lift/carry the ladder from the designated area or apparatus to the area of deployment ( <i>check method utilized</i> ):				
	☐ Low shoulder ☐ High Shoulder ☐ Arms length ☐ Flat				
4.	***Visually check work area for hazards and state if area is safe or if hazards exist				
5.	Determine ladder placement and verify that the wall/roof will support ladder				
6.	Raise the ladder (beam or flat) and ensure proper fly orientation				
7.	***Extend fly section to proper height and ensure fly is locked				
8.	Lower ladder against stable wall or surface and secure halyard				
9.	Adjust ladder for proper climbing angle and ensure placement for given task				
10.	***Position ladder correctly for task given				
11.	***Safely mount, ascend, descend, and dismount ladder				

#### PRACTICAL SKILL REQUIREMENTS

	No.	TASK STEPS	TE	TEST		EST	
			Р	F	Р	F	
		RETRACT, LOWER, AND RETURN LADDER					
	12.	Move top of ladder away from building, release halyard, locks, an correctly lower fly(s)	d 🗆				
	13.	Lower ladder to ground (reversing raising procedures)					
	14.	Coordinate with team member to lift/carry the ladder from the deployment area to the designated area or apparatus ( <i>check method utilized</i> ):  Low shoulder High Shoulder Arms length Flat					
L				<u> </u>			
Eval	luato	or: Retest Evaluator	r:				
Con	nmer	nts:					
valuato	or Nam	Date	Overall 11 o	ut of 1	4 req	uired	ult:
valuato	or Signa	ature	Pass (F		•		'): 🗆

Can	ndidate:					Date:					
STAI	NDAR	<b>D:</b> NFPA 1001: 4.3.7	SKILL	AREA: Vehicle	Fire A	Attacl	k				
leakir	ng flan	ack a passenger vehicle fire while oper nmable liquids are identified and contro ents are overhauled, and the fire is extin	olled, p	rotection from flash							
ability patte	<b>PERFORMANCE OUTCOME:</b> The candidate, while operating as a member of a team, shall demonstrate the ability to identify automobile fuel type; assess and control fuel leaks; open, close, and adjust the flow and pattern on the nozzles; apply water for maximum effectiveness while maintaining flash fire protection; advance attack lines; and expose hidden fires by opening all automobile compartments.										
autor	nobile	NT: Hose lines, fire apparatus, persona , light truck or van, and dedicated safet NS: Given a simulated vehicle fire, the	ty line ı	personnel.							
	No.	Task Ster	PS			TE	ST	RET	EST		
						Р	F	Р	F		
ľ	Properly wear full protective clothing and SCBA (on air)										
	2. ***Select at least 1 ½ inch hose line, bleed line, and adjust nozzle										
	3.	Attack from upwind and uphill (verbalize considered if not applicable)	ck from upwind and uphill (verbalize conditions were								
	4.	Protect exposures (if present)									
	5.	***Approach vehicle from side or 45 de bumpers until cooled) adjusting nozzle protection									
	6.	Identify possible fuel types and method	ds for	controlling fuel leak	s						
	7.	Extinguish ground fire around and und	der the	vehicle (simulate)							
	8.	Expose all hidden fire and open all cortechniques and extinguish remaining f (simulate)			riate						
<u>[</u>	9.	Overhaul the fire scene and preserve	eviden	nce if indicated							
Eva	luato	r:		Retest Evaluat	tor:						
Con	nmer	nts:									
				ſ							
Evaluate	or Name	е		Date		7 oı	Skill 9 ut of 9 al skill	requi		<u>:</u>	
Evaluate	or Signa	ature			•	.11116	ai SKIII	rcqu	ıı cu		
							P): 🗆	Fa	iil (F):		

Can	Candidate:				Date:				
STA	NDAR	D: NFPA 1001: 4.3.8	SKILL AREA: Exterio	r Fire	Attac	k			
fire is	<b>TASK:</b> Extinguish a fire in exterior Class A materials (simulate), so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.								
relate tools	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to recognize inherent hazards related to the material's configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate and modify water application for maximum penetration, search for and expose hidden fires, assess patterns for origin determination, and evaluate for complete extinguishment.								
inch)	<b>EQUIPMENT:</b> Stack of Class A material or unattached structure or storage container, hose lines (min. 1 ½ inch), hand tools, dedicated safety line with personnel, fire/pumper apparatus, and full personal protective equipment with SCBA.								
Con	IDITIO	NS: Given a simulated exterior Class	A fire, the candidate shall	demo	nstrate	the al	oility to	):	
	No.	TASK STI	EPS		TE	ST	RET	EST	
					P	F	Р	F	
	1.	***Wears appropriate PPE							
	2.	Describe inherent hazards related to							
	3.	***Select and deploy the appropriate agent	size hose line or extinguis	shing					
	4.	Attack from upwind and uphill or flan	ks (verbalize if not applica	ble)					
	5.	Bleed air from hose line and adjust n effectiveness	ozzle for maximum						
	6.	***Protect exposures (if present)							
	7.	Break-up burning material using hand (simulate)	d tools and water streams						
	8.	Search for and expose hidden fires							
	9.	Extinguish the fire (flow adequate wa	iter)						
	10.	Overhaul fire scene while protecting or origin if present	and preserving signs of ca	iuse					
Eva	luato	r:	Retest Evalua	tor:					
Con	nmer	ts:	•	•					
Evaluat	or Nam	3	 Date		8 ou	Skill it of 10 al skill	0 requ	iired	ult:
Evaluat	or Signa	ture	<del></del>			_	-		
AZCFS	Pass (P):   Fail (F):   ZCFSE Firefighter I, revised Feb, 2024						): ∐		

Candidate:	Date:				
<b>STANDARD:</b> NFPA 1001: 4.3.9	SKILL AREA: Interior Search and Rescue				
<b>TASK:</b> Conduct a search and rescue in a structure operating as a member of a team, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team member's safety – including respiratory protection – is not compromised.					
PERFORMANCE OUTCOME: The candidate shall demonstrate to the ability to use an SCBA to exit through restricted passages, set up and use different types of ladders for various types of rescue operations, rescue a firefighter and non-firefighter victim, and assess areas to determine tenability.					
<b>EQUIPMENT:</b> Full personal protective clothing including SCBA (on air), various size ladders, portable radio, flashlight, hose line, various hand tools, and rescue mannequin.					
CONDITIONS: Given a scenario with obscured visibility and a team member, the candidate shall demonstrate the ability to:					

No.	. TASK STEPS		TEST		EST
		Р	F	Р	F
	Proctor selects one of the following scenarios for final certification examination:				
	a. Person without respiratory protection				
	<b>b.</b> Fire Fighter with functioning SCBA				
	c.  Fire Fighter with non-functioning SCBA				
1.	***Wears appropriate PPE				
2.	Size up the problem and select the appropriate tool(s) and equipment				
3.	Ladders are correctly placed for assignment (if warranted by scenario)				
4.	Correctly open all doors (feeling for heat and opening slowly, keeping control of the door) or windows				
5.	***Establish, maintain, and search in an effective pattern (i.e. left-hand or right-hand)				
6.	Searching in a body position appropriate for the conditions				
7.	Use hose line effectively (if applicable)				
8.	***Find and remove victim using appropriate techniques				
9.	***Ensure completion of the primary search.				
10.	***Maintain team integrity, communication, and safety throughout search				

#### PRACTICAL SKILL REQUIREMENTS

Evaluator:		Retest Evaluato	r:
Comments:			
	_		
			·
Evaluator Name		Date	Overall Skill Sheet Result: 8 out of 10 required ***critical skill required
Evaluator Signature			_
			Pass (P): ☐ Fail (F): ☐

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.10A

Car	Candidate:				Date:				
STA	NDAR	D: NFPA 1001: 4.3.10	SKIL	L AREA: Interior	Fire A	Attacl	k- Gra	de Le	vel
integ hidd	<b>TASK:</b> Attack a grade level interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, access is gained into the fire area, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, hazards are recognized and managed, and the fire is brought under control.								
nozz char corre	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: correctly open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; couple and uncouple various hand line connections; carry hose; and correctly attack fire at grade level.								
		IT: Full personal protective equipment dio, flashlight, various size ladders, and			e line (r	min. 1	½"), ha	and too	ols,
	y to:	NS: Given a grade level simulated stru	ıcture	fire and a team, the	candi	date s	hall de	monst	rate the
	No.	TASK STEP	PS			TE	ST	RETEST	
						Р	F	Р	F
		GRADE LEVEL FIRE							
	1.	***Properly wears full protective clothing	ng an	d SCBA (on air)					
	2.	Properly deploy and charge hose line	for fir	e attack (min 1 ½")					
	3.	Properly bleed hose line, adjust nozzle	e, and	d prevent water ham	mer				
	4.	***Check door before entering and sou	und fl	oor for stability					
	5.	Stay low upon entry and approaching	fire						
	6.	Coordinate ventilation with Fire Attack	(verb	oalize)					
	7.	Attack and extinguish the fire using an	n appr	ropriate attack methor	od.				
	8.	Demonstrate the following attack meth ☐ DIRECT ☐ INDIRECT	nods:	☐ COMBINAT	ION				
	9.	Locate and suppress interior wall and	subfl	oor fire					
	10.	Overhaul fire scene while protecting a or origin (if present)	nd pr	eserving signs of ca	use				
Eva	luato	r:		Retest Evaluat	tor:				
Cor	nmer	ts:							
Evalua	tor Name			Date		8 ou	Skill ( it of 10 al skill	0 requ	
Evalua	tor Signa	ture					_	•	ail (F): □

NEPA	1001-	2019	Ηd

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.10B

Candidate: Date:
------------------

STANDARD: NFPA 1001: 4.3.10 GENERAL SKILL: Interior Fire Attack- Above Grade

**TASK:** Attack an above grade interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement

**PERFORMANCE OUTCOME:** The candidate shall demonstrate the ability to: prevent water hammer when closing nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; operate charged hose line while secured to ladder; couple and uncouple various hand line connections; carry hose; and attack an above grade level (2<sup>nd</sup> floor or above) fire.

**EQUIPMENT:** Full personal protective equipment with SCBA (on air), hose line (min. 1 ½"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus. (*Note: If a standpipe is available, then hotel/high rise hose packs, a gated wye, a spanner wrench will be needed*)

**CONDITIONS:** Given a above grade level simulated structure (2<sup>nd</sup> floor or above) fire and a team, the candidate shall demonstrate the ability to:

No.	TASK STEPS		ST	RETEST	
		Р	F	Р	F
	ABOVE GRADE LEVEL FIRE				
1.	***Properly wear full protective clothing and SCBA (on air)				
2.	Properly deploy and charge hose line (min 1 ½") for fire attack (check one option):  If standpipe present. Connect hose to standpipe one floor below and advance to the doorway of the fire floor, flaking excess up stairway going to upper floor (if present).  If no standpipe present. Lay hose to the doorway of the fire				
3.	floor, flaking excess up stairway going to upper floor (if present)				
ა.	Properly bleed hose line, adjust nozzle, and prevent water hammer	Ш		ш	Ш
4.	Properly place ladder or ensure ladder is placed to fire floor (if applicable) for access, secondary egress or fire attack				
5.	Demonstrate ability to advance charged and uncharged hose lines (1 ½ diameter or larger) up ladders and up and down interior and exterior stairways.				
6.	Correct body posture is maintained, and hazards are recognized and managed.				
7.	***Check door before entering and sound floor for stability				
8.	Stay low on entering and approaching fire				
9.	Coordinate ventilation with Fire Attack (verbalize)				
10.	Attack and extinguish the fire using an appropriate attack method.				
11.	Demonstrate the following attack methods:  ☐ DIRECT ☐ INDIRECT ☐ COMBINATION				
12.	Overhaul fire scene while protecting and preserving signs of cause or origin (if present)				

NFPA	1001-	2019	Ed.

#### PRACTICAL SKILL REQUIREMENTS FFI- 4.3.10B

Evaluator:	Retest Evaluator	-
Comments:		
Evaluator Name	Date	Overall Skill Sheet Result: 9 out of 12 required
Evaluator Signature		**critical skill required  Pass (P):   Fail (F):

Candidate:				Dat	e:			
STANDA	STANDARD: NFPA 1001: 4.3.10 GENERAL SKILL: Interior Fire Attack- Below Grade							
integrity is technique	<b>TASK:</b> Attack a below grade interior structure fire (simulate) operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, access is gained into the fire area, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, hazards are recognized and managed, and the fire is brought under control.							
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and/or uncharged hose line; couple and uncouple various hand line connections; carry hose; and attack below grade level (basement or cellar) fire.								
radio, flas	NT: Full personal protective equipment with hlight, various size ladders, and fire/pumper	apparatus.	•		,		•	
the ability	<b>ONS:</b> Given a below grade level simulated s to:	structure fire and a tea	ım, the	cand	idate s	hall de	monst	rate
No.	TASK STEPS			TE	ST	RETEST		
				Р	F	Р	F	
	BELOW GRADE LEVEL FIRE							
1.	***Properly wears full protective clothing a	and SCBA (on air)						
2.	Properly deploy and charge hose line for f	fire attack (min 1 ½")						
3.	Properly bleed attack line, adjust nozzle, a hammer	and prevent water						
4.	Coordinate ventilation with Fire Attack (ve	erbalize)						
5.	***Check door before entering and sound							
6.	Descend stairs safely and quickly when ve appropriate)	entilation accomplishe	d (if					
7.	Correct body posture is maintained, and h and managed.	nazards are recognize	d					
8.	At bottom of stairs search for and correctly appropriate attack method (simulate)	y extinguish the fire us	sing					
9.	Demonstrate the following attack methods  ☐ DIRECT ☐ INDIRECT	s: COMBINATI	ON					
10.	Overhaul fire scene while protecting and p or origin (if present)	preserving signs of ca	use					
Evaluat	or:	Retest Evaluat	or:					
Comme	nts:							
Evaluator Name  Date  Overall Skill Sheet Real 8 out of 10 required ***critical skill required				iired	ult:			
Evaluator Sig			Doo	- /F	». □		-:! /⊏	<b>1.</b> □
AZCFSE Fire	fighter I, revised Feb, 2024		ras	55 (F	ን): ∐	Fã	ail (F	): ⊔

#### NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 4.3.10D

Candidate:	Date:				
STANDARD: NFPA 1001: 4.3.10 SKILL AREA: Extend or Re		place Hose Section			
<b>TASK:</b> Extend or replace a hose line as a member of a team, so that team integrity is maintained, hose sections are added or replaced on a charged line, and all sections of hose are recharged.					
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: stop water flow in a charged hose and add a section of hose on a charged line, or replace a damage section of hose; couple and uncouple various hand line connections; carry hose; recharge hose line, and ensure all connections are tightened.					
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, hose line (min. 1 ½"), hand tools, portable radio, flashlight, hose clamp, various hose appliance/tools, hose clamp (optional), and fire/pumper apparatus.					
CONDITIONS: Given a charged hoseline, the ca	CONDITIONS: Given a charged hoseline, the candidate shall demonstrate the ability to:				

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Р	F
	Proctor selects one of the following tasks for certification examination:				
	a. Extend a section of fire hose				
	<b>b.</b> Replace a section of damaged/burst fire hose				
	EXTEND A SECTION OF FIRE HOSE				
1.	***Properly wear full protective clothing				
2.	Select hose section to be added to line and place it in position				
3.	***Correctly shut down water flow at nearest appliance or source; <b>or</b> , Correctly apply hose clamp				
4.	Bleed pressure and undo coupling or remove nozzle				
5.	Extend hose length by at least one section, tighten couplings, and replace nozzle (if applicable)				
6.	***Ensure nozzle is closed and is secure				
7.	Correctly restore water flow at nearest appliance or source; <b>or</b> , slowly open hose clamp to avoid water hammer				
8.	Verify that all connections are tightened				
	REPLACE A SECTION OF FIRE HOSE				
1.	***Properly wears full protective clothing and SCBA				
2.	Stage replacement hose section near damaged hose section				
3.	***Correctly shut down water flow at nearest appliance or source; or, Correctly apply hose clamp				
4.	Bleed pressure, undo couplings, and remove damaged hose				
5.	Replace damaged hose section and tighten coupling				
6.	***Ensure nozzle is closed and is secure				
7.	Correctly restore water flow at nearest appliance or source, <b>or</b> , Slowly open hose clamp to avoid water hammer				
8.	Verify that all connections are tightened				

#### PRACTICAL SKILL REQUIREMENTS

FFI- 4.3.10D

Evaluator:	Retest Evaluate	or:
Comments:		
	Г	
Evaluator Name	Date	Overall Skill Sheet Result: 6 out of 8 required ***critical skill required
Evaluator Signature		critical smil required
		Pass (P): ☐ Fail (F): ☐

#### PRACTICAL SKILL REQUIREMENTS

Candidate:	Date:							
<b>STANDARD:</b> NFPA 1001: 4.3.11	Horizon	tal Ventilation						
<b>TASK:</b> Perform horizontal ventilation on a structure operating as part of a team, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke.								
ability to transport and operate ventilation tools a deploy, and secure ground ladders for ventilation	<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to transport and operate ventilation tools and equipment; clear an opening with hand tools; select, carry, deploy, and secure ground ladders for ventilation activities ( <i>if applicable</i> ); and carry ventilation tools and equipment while ascending and descending ladders ( <i>if applicable</i> ).							
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, hose line, hand tools, pike pole, ladder, positi pressure fan, and/or smoke ejector.								
CONDITIONS: Given a simulated fire scenario a	and a team, the candid	late shall de	emonstrate the ability to:					

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Р	F
	BREAK WINDOW OR DOOR GLASS FOR VENTILATION (5 OUT OF 6 REQUIRED)				
1.	***Wears appropriate PPE				
2.	Appropriately place ladder (if needed)				
3.	***Choose proper tool for task and carry tool safely				
4.	Assume proper position				
5.	***Break glass (simulate or use prop) and remove any remaining obstructions from opening				
6.	Ensure Coordination with Interior Attack group				
	Proctor selects one of the following ventilation techniques for certification examination:				
	☐ Positive (3 out of 4 required)				
1.	***Wears appropriate PPE				
2.	Properly place fan in front of adequate entry point				
3.	***Ensure appropriate exit point has been established				
4.	Start fan, open entry point (block open if necessary) and ensure that the cone of air covers entire opening				
	☐ Negative (4 out of 5 required)				
1.	***Wears appropriate PPE				
2.	Remove objects that might be drawn into fan (curtains, drapes, etc.)				
3.	Properly place fan in exhaust opening by hanging from window or door casing, door edge (with door blocked open), or from leaning ladder over opening				
4.	***Create an entrance opening preferably on upwind side of building				
5.	Start fan and prevent churning by covering the area around fan with salvage covers or other material				

	☐ Hydraulic (3 out of 4 required)									
	***Wears appropriate PPE									
	2.	Rei	move objects that might obscure flow (c	urtains, drapes, etc.)						
	3.	***/	Adjust fog pattern to cover 85-90% of op	pening						
	4.	Pla	ce nozzle at appropriate distance from	opening						
Eva	aluato	r:		Retest Evaluat	tor:					
Cor	nmer	nts:								
Evaluator Name				Date	Overall Skill Sheet Result See scoring requirement abo ***critical skill required					
Evalua	tor Signa	ature						•		_
					Pa	ss (F	P): 🗌	Fa	ail (F	):∐

## NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 4.3.12

Candida	Da	te:									
STANDAR	STANDARD: NFPA 1001: 4.3.12 GENERAL SKILL: Vertical Ventilation										
positioned, compromis	<b>TASK:</b> Perform vertical ventilation on a structure operating as part of a team, so that ladders are correctly positioned, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are removed, and the team retreats from the area when ventilation is accomplished.										
<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to: transport and operate ventilation tools; deploy ground ladders; deploy roof ladders on pitched roofs while secured to a ground ladder; sound a roof for integrity; hoist tools to a roof; cut roofing for ventilation; clear an opening with hand tools; and carry ventilation tools and equipment while ascending and descending ladders. <b>EQUIPMENT:</b> Full personal protective equipment with SCBA (on air when accessing roof), roof prop, roof											
ladder, var	rious extension ladders, chainsaw/cuttine  ONS: Given a simulated fire scenario a	ng tools, pike pole, and	d pick	head axe							
No.	Task Ste	:De		Т	EST	DET	EST				
140.	TASK OTE	.ro		Р.	-51 F	P	F				
1.	***Properly wear full protective clothin	ag and SCRA (on air)					'				
2.	Collect and organize necessary equip	` '			+						
3.	Select and properly carry ladders app		ation								
4.	Locate position for opening at highes	•									
5.	Properly place and secure ladder for				$\Box$						
6.	Correctly carry roof ladder (if applicate ladder and place in position on roof unventilation site	ole) while ascending gr	round								
7.	***Sound roof for integrity and locatio	n of roof joists and raft	ters								
8.	***Move tools to roof utilizing teamwo power tools on ground)	ork (after starting & sto	pping								
9.	Remove appropriate roof materials										
10.	***Make an opening at least 4' x 4' in	size									
11.	***Push ceiling through										
12.	Ensure coordination with Interior Atta										
13.	Have team exit roof immediately after	r performing ventilation	า								
Evaluato	or:	Retest Eva	luato	r:							
Commer	nts:										
Evaluator Hame					Skill out of 1	3 req	uired	ult:			
Evaluator Sign  AZCFSE Firefi	ature ghter I, revised Feb, 2024			Pass (	_	•		): □			

Candidate:											
STA	STANDARD: NFPA 1001: 4.3.13 GENERAL SKILL: Overhaul										
	<b>TASK:</b> Overhaul a fire scene, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.										
line; integ subfle extin	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: deploy and operate an attack line; remove flooring, ceiling, and wall components to expose void spaces without compromising structural integrity; apply water for maximum effectiveness; expose and extinguish hidden fires in walls, ceilings, and subfloor spaces; recognize and preserve obvious signs of area of origin and arson; and evaluate for complete extinguishment.										
		NT: Full personal protective equipment with attack line and/or portable water extinguish		ike poles,	hand t	tools, th	nermal	image	∍r (if		
Con	DITIO	NS: Given a simulated fire scenario, the ca	andidate shall dem	nonstrate	the abi	lity to:					
	No.	TASK STEPS			TE	st	RETE	ST			
					Р	F	Р	F			
	1. 2. 3. 4. 5. 6. 7. 8.	***Properly wear full protective clothing an Ensure that a charged hose line is availab Select proper tools and equipment for ove Demonstrate locating hidden fires by sight electronic sensor  Expose hidden fires in ceilings, walls, and Remove or extinguish burning objects ( sir ***Preserve evidence or signs of cause an Coordinate overhaul with Fire Investigation (verbalize)  Ensure debris piles or burning material are (verbalize)									
Eva	luato	or:	Retest Eval	uator:							
Con	nmer	nts:	•	<u> </u>							
Evaluator Name  Date  Overall Skill Sheet Re 7 out of 9 required ***critical skill required						red	ult:				
	9-11		ss (P	<b>'):</b> 🗆	Fa	il (F	): □				

Candidate:						Dat	e:				
STA	STANDARD: NFPA 1001: 4.3.13  GENERAL SKILL: Deploy Attack Line										
	<b>TASK:</b> Deploy an attack line, so that the appropriate hose line is selected; the hose is correctly deployed; the line is safely charged; kinks are removed; and nozzle pattern is appropriately adjusted for fire attack.										
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: deploy and operate an attack line.										(	
EQUIPMENT: Full personal protective equipment with SCBA and an attack line.											
CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:											
	No.		TASKS	STEPS			TE	ST	RET	EST	Í
							Р	F	Р	F	İ
	1.	***	Properly wear full protective clo	thing an	d SCBA						Ì
	2.		ect appropriate preconnect hos								Ì
	3.		rectly pull hose out of the bed are is completely out of the bed (								ĺ
	4.		move kinks in hose and correct ent to play out without significan			lake or					Í
	5.		cure nozzle, call or signal for wa I appropriately adjust nozzle pa			tack line					Í
	6.	Clo	se nozzle slowly to prevent wat	ter hamn	ner						Ì
	7.	Shu	ut down line, drain hose								i
Eva	luato	r:			Retest Eva	luator:	,				
Con	nmer	nts:									
					Date		Overall 6 ou **critica	ut of 7	requ	ired	ult:
Evaluator Signature						P	ass (F	P): 🗆	Fa	ail (F	): □

Candidate:							Date	e:			
STA	STANDARD: NFPA 1001: 4.3.14 GENERAL SKILL: Property Conservation										
	<b>TASK:</b> Conserve property as a member of a team, so that the building and its contents are protected from further damage.										
abilit	<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to cluster furniture; deploy covering materials; roll and fold salvage covers for reuse; construct water chutes and catch-alls; and stop the flow of water from a sprinkler with sprinkler wedges or stoppers.								Э		
_	<b>EQUIPMENT:</b> Appropriate PPE, pike poles, salvage covers, and sprinkler wedges or stoppers.										
CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:											
	No.	Task Ste	:PS				TE	ST	RET	EST	
							Р	F	Р	F	
		COVER PROPERTY									
	1.	***Wears appropriate PPE									
	2.	Arrange furnishing in close piles(s) are			•						
	3.	Select proper salvage cover and deploy covering materials over furnishings using one of the following (For final evaluation, select from the following methods):									
		Deploy a folded salvage cover									
		Deploy a rolled salvage cover									
	4.	Construct one of the following to effectively route water from one area to another (For final evaluation, select one of the following methods):									
		☐ Water Catchall ☐ W	ater Chute	е							
	5.	Demonstrate how to stop the flow of wedges, stoppers, or control valve	water fron	n a sprinkler	using	3					
	6.	Operate a main control valve on an a		· · · · · · · · · · · · · · · · · · ·							
	7.	Separate, remove or extinguish burni ( simulate)									
	8.	Demonstrate proper technique to cov window or floor ( simulate)				•					
	9.	Correctly fold and/or roll a salvage co	over and re	eturn to serv	/ice						
Eva	luato	r:	1	Retest Eva	aluato	or:					
Cor	nmer	its:	•								
Evoluci	tor Now			Doto		Ove	erall	Skill	Shee	t Res	ult:
	-valuator Name						7 oı	ut of 9 al skill	requ	ired	
Evaluat	tor Signa	ature						_	•		
AZCFS	E Firefig	hter I, revised Feb, 2024				Pas	ss (F	?): ⊔	Fa	ail (F	): ∐

Candidate:	Date:	
<b>STANDARD:</b> NFPA 1001: 4.3.15	GENERAL SKILL: Wat	er Supply
<b>TASK:</b> Connect a pumper apparatus to water su water flow is unobstructed.	ipply as a member of a tean	n, so that connections are tight and
<b>PERFORMANCE OUTCOME:</b> While operating a ability to hand lay a supply hose, connect and pla water tanks and other necessary equipment, maker everse lays, connect supply hose to a hydrant, a	ce hard suction hose for drace hydrant-to-pumper hose (	afting operations, deploy portable connections for forward and
EQUIPMENT: Appropriate PPE, hydrant kit, and	appropriate supply line (mi	n. 2 ½ hose line).
CONDITIONS: Given a static water source or fire	hydrant the candidate sha	all demonstrate the ability to:

No.	TASK STEPS	TE	ST	RET	EST
		Р	F	Р	F
	Proctor selects one of the following tasks:				
	☐ FIRE HYDRANT CONNECTION VIA FORWARD & REVERSE LAY:				
	(6 out of 8 required)				
1.	***Wears appropriate PPE				
2.	Properly deploy supply hose from hose bed				
3.	Connect supply hose to hydrant				
4.	Connect supply hose to pumper intake				
5.	Remove kinks from hose				
6.	***Fully open hydrant slowly				
7.	At end of operation, fully close the hydrant				
8.	Place all equipment and hydrant in a ready condition				
	STATIC WATER SOURCE:				
	(7 out of 9 required)				
1.	***Wears appropriate PPE				
2.	Deploy portable water tank, pond/ dry hydrant				
3.	Check gaskets on the hard suction hose for dirt, gravel or defects				
4.	Connect strainer or foot or float to hose				
5.	Fasten rope/strap to strainer to aid in handling the hose				
6.	Connect hard suction hose to pumper				
7.	Use rubber mallet to ensure air tight connections				
8.	Lower hose and strainer into static water source				
9.	***Signal pumper operator to start drafting procedure				

Evaluator:	Retest Evaluator.	
Comments:	1	
Evaluator Name		Overall Skill Sheet Result: See scoring requirement above **critical skill required
Evaluator Signature	F	ass (P): ☐ Fail (F): ☐

Can	dida	te:			Date	e:					
STA	NDAR	D:	NFPA 1001: 4.3.16	GENERAL SH	(ILL: Fi	re Ext	inguis	sher- (	Class	Α	
		_	uish an incipient Class A fire, so tha		•	er is cho	osen, tl	he fire	is com	pletely	′
PER extin	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers.										
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, various fire extinguishers (class A rating), and burn pan.											
Con	CONDITIONS: Given a small Class A fire (or simulated), the candidate shall demonstrate the ability to:										
	No.		TASK STE	PS			TE P	ST F	RET P	EST F	
	1.	***\	Wears appropriate PPE						_		
	2.	_	rrectly identify the class of fire								
	3.	fire				of					
	4.	car	pperly activate the extinguisher (pul tridge)	· ·							
	5.		st operation of the extinguisher by a ore approaching the fire	a brief discharg	e of agen	t					
	6.		Safely carry the extinguisher and a								
	7.	ext	proach to an effective distance for dinguisher								
	8.		scharge extinguishing agent on the er the fire area (or simulate)	base of the fire	and swe	ер					
	9.		vance on the remaining burning ma inguish hot spots (or simulate)	aterial while cor	ntinuing to	)					
	10.	Ext	tinguish the fire and check for rema	ining hot spots	(or simul	ate)					
Eva	luato	r:		Retes	st Evalua	itor:					
Cor	nmer	nts:									
Evaluat	Valuator Name  Date  Overall Skill Sheet Result: 8 out of 10 required ***critical skill required										
Evaluat	aluator Signature							): 🗆	•		):□

Car	ndida	te:					Date	e:			
STA	NDAR	<b>D:</b> NFPA 1001: 4.3.16	GENERAL	SKILL:	Fire	Exti	nguis	sher- (	Class	В	
		tinguish an incipient Class B fire, so the d, and correct extinguisher-handling t				s chos	sen, tl	ne fire	is com	pletely	,
PER extin size	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers.										
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, various fire extinguishers (class B rating), and burn pan. <b>CONDITIONS:</b> Given a small Class B fire (or simulated), the candidate shall demonstrate the ability to:										d	
CON	MDITIO	NS: Given a small Class B fire (or sin	nulated), the d	candidate	e snali	aemo	onstra	te tne	ability	to:	
	No.	TASK STI	EPS				TE	ST	RET	EST	
							Р	F	Р	F	
	1. 2.	***Wears appropriate PPE Correctly identify the class of fire									
	3.	Select an appropriate extinguisher ba	ased on the ty	pe and s	size of						
	4.	Properly activate the extinguisher (pu cartridge)									
	5.	Test operation of the extinguisher by before approaching the fire	a brief discha	arge of a	gent						
	6.	***Safely carry the extinguisher and a				nd					
	7.	Approach to an effective distance for extinguisher	discharge of	the sele	cted						
	8.	Discharge extinguishing agent on the over the fire area (or simulate)	base of the f	fire and s	sweep						
	9.	Advance on the burning material and burning liquid (or simulate)	continue to e	extinguisl	h the						
	10.	Extinguish the fire and watch for re-fl simulate)	ash of flamma	able liqui	ds (or						
Eva	luato	r:	Ret	est Eva	luato	r:					
Cor	nmer	its:	l			<u> </u>					
Evalua	Evaluator Name  Date  Overall Skill Sheet Result 8 out of 10 required  ***critical skill required								<u>ult:</u>		
Evalua	Evaluator Signature							_	•		_
						Pas	s (F	): 🗆	Fa	ail (F	<b>)</b> : 🗆
AZCFS	ZCFSE Firefighter I, revised Feb, 2024										

Can	dida	te:			Dat	e:						
STAI	STANDARD: NFPA 1001: 4.3.16 GENERAL SKILL: Fire Extinguisher- Class C											
	<b>TASK:</b> Extinguish an incipient Class C fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.											
exting	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers.											
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, various fire extinguishers (class C rating), and burn pan.												
<b>CONDITIONS:</b> Given a small Class C fire (or simulated), the candidate shall demonstrate the ability to:												
F	No. TASK STEPS TEST RETEST											
					Р	F	Р	F				
	1.	***Wears appropriate PPE										
-	2.	Correctly identify the class of fire										
-	3.	Attempt to de-energize the item on fire										
_	4.	Select an appropriate extinguisher base fire										
	5.	Properly activate the extinguisher (pulls cartridge)	s pin and/or puncture	es								
	6.	Test operation of the extinguisher by a before approaching the fire	brief discharge of ag	gent								
	7.	***Safely carry the extinguisher and ap	proach the fire from	upwind								
	8.	Approach to an effective distance for di extinguisher	ischarge of the selec	cted								
	9.	Discharge extinguishing agent on the bover the fire area (or simulate)	pase of the fire and s	weep								
	10.	Advance on the remaining burning mat extinguish hot spots (or simulate)	erial while continuing	g to								
	11.	Extinguish the fire and check for remain	ning hotspots (or sim	nulate)								
	12.	Verify the item involved in the fire is de	-energized									
Eva	luato	or:	Retest Eva	luator:	,							
Con	nmer	nts:										
Evaluato	Valuator Name  Date  Overall Skill Sheet Result  9 out of 12 required  ***critical skill required								<u>ult:</u>			
Evaluate	or Signa	ature			· · criuca	11 SKIII	requi	rea				
AZCFSI	E Firefic	ghter I, revised Feb, 2024		P	ass (F	P): 🗆	Fa	il (F	): 🗌			

nate Emergency Scene											
GENERAL SKILL: Illuminate Emergency Scene											
ed and all equipment is operated											
perate department power supply devices, and locate lights for											
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, portable or mounted power supply, lights, cords, connectors and ground fault interrupters, and full personal protective equipment.											
CONDITIONS: Given a simulated fire ground scenario, the candidate shall demonstrate the ability to:											
No. TASK STEPS TEST RETEST											
P F P F											
Valuator Name  Date  Overall Skill Sheet Result: 8 out of 10 required ***critical skill required											
ass (P): ☐ Fail (F): ☐											

Candid	date:				D	ate:					
STANDA	STANDARD: NFPA 1001: 4.3.18  GENERAL SKILL: Building Utilities										
TASK:	TASK: Turn off building utilities, so that the assignment is safely completed.										
		<b>OUTCOME:</b> The candidate shall lives or switches, and assess for	lity to id	entify	utility	contro	ol devid	ces,			
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA, hand tools for controlling utilities, and utility service boxes.											
CONDIT	CONDITIONS: Given a simulated fire ground scenario, the candidate shall demonstrate the ability to:										
No. TASK STEPS TEST RETEST											
P F P F											
	1.	***Wears appropriate PPE									
	2 & 3	Select two of the following unthe candidate to locate and s		or							
		Locate Electrical main par breaker to "off" position	r								
		Locate natural gas meter valve to closed position	and rotate gas shutoff								
		Locate LPG/CNG storage valve clockwise to shut of		l							
		Locate water meter box a valve to stop the flow of w		ate							
	4.	Verbalize hazards associa utilities.	ated with securing build	ding							
Evalua	itor:		Retest Eval	uator:							
Comm	ents:		1								
Evaluator N	ame		Date	_ <u>o</u>					esult:		
	*							quire quire			
Evaluator S	aluator Signature							•	_		
				Pa	155	(P):	Ц	rdii	<b>(F)</b> : ∐		

Can	dida	e:		Dat	te:							
STA	NDAR	D: NFPA 1001: 4.3.19	GENERAL SKILL:	Com	nbat Grou	und Co	over F	ire				
threa		mbat a ground cover fire operating as ersonal safety are recognized, retreat d.										
abilit	<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to determine exposure threats based on fire spread potential, protect exposures, construct a fire line or extinguish with hand tools, maintain integrity of established fire lines, and suppress cover fires using water.											
	<b>EQUIPMENT:</b> Wildland personal protective equipment, wildland hand tools, wildland hose lines, pump extinguishers, and a map or drawing.											
	CONDITIONS: Given a simulated wildland ground cover fire scenario (may be a tabletop scenario), the candidate shall demonstrate the ability to:											
No. TASK STEPS TEST RETEST												
					Р	F	Р	F				
***Don or describe what personal protective clothing should be worn and what tools and equipment are needed ( <i>If no respiratory hazards SCBA and hood not required, wild land protective clothing recommended if available</i> )												
	2.	Perform an assessment of the incider topography, weather conditions, and		of fue	l, 🗆							
	3.	Explain the exposures present and w conduct the operation	hat protection is need	led, or								
	4.	Based on available fuels and terrain, construction and maintenance of a fir		s								
	5.	Conduct or explain extinguishment of tools and a backpack or vest pump extension of the conduction of the conduct of the condu		sing ha	and 🗆							
	6.	Conduct or explain extinguishment of tools and a wildland hand line	f ground cover fires us	sing ha	and							
	7.	***Identify the need for lookouts, com and escape routes	munications, safety zo	ones,								
	8.	Explain how to quickly retreat using e	established escape rou	utes					<u> </u>  }			
Eva	luato	r:	Retest Eva	luato	r:							
Con	nmer	ts:										
	Date  Overall Skill Sheet Result: 6 out of 8 required  ***critical skill required											
Evaluator Signature								ail (F	): □			

Car	ndida	te:						Date	e:			
STA	NDAR	D:	NFPA 1001: 4.3.20	GEN	IERAL SKILL:	Air	Moni	torin	g			
	<b>TASK:</b> Demonstrate the ability to operate an air monitor, recognize the alarms, and react to the alarms of the air monitor (CO, oxygen, combustible gas, and toxicity.											
	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate the air monitor, recognize the alarms, and react to the alarms of the air monitor (CO, oxygen, combustible gas, and toxicity.											
			Air monitor instrument									
devic	<b>CONDITIONS:</b> Given an air monitor and an assignment or task, operate the air-monitoring instrument, so that the device is operated correctly, and the fire fighter recognizes the high- or low-level alarms of the air monitor and takes action to mitigate the hazard.											
	No. TASK STEPS TEST RETEST											
								Р	F	Р	F	
	1.		Wears appropriate PPE for hazard									
	1.		Demonstrate the ability to correctly			tor.						
	2.		Recognizes the high and low level			4 - 4		Ш	Ш	Ш	Ш	
	3.		Reacts to the alarms, taking appropeat.	priate	action to mitiga	te the						
Eva	luato	r:			Retest Eva	luato	or:					
Cor	nmer	nts:	<u> </u>									
	Date  Overall Skill Sheet Result:  4 out of 4 required  ***critical skill required											
∟vaiudi	luator Signature							s (P	'): 🗆	Fa	ail (F	): 🗆

# NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS

Can	didate	<u> </u>			Date	e:					
STA	NDARD:	NFPA 1001: 4.5.1	GENERAL SKILL:	Maint	enance:	Ladd	ers				
depa		n and check ladders, so that equipme guidelines, maintenance is recorded,									
clear	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to select the correct tools for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.										
<b>EQUIPMENT:</b> Ladders, service tags, cleaning supplies, and maintenance log book/record <b>CONDITIONS:</b> Given a fire station or other adequate location, the candidate shall demonstrate the ability to:											
No. TASK STEPS TEST RETEST											
					Р	F	Р	F			
	1.	***Wears appropriate PPE									
	2.	Washes and dries per manufacturer	's specification								
	3.	Inspects halyard/cable									
	4.	Inspects all movable parts of ladder and beams/rails)	(i.e. guide, pulley(s),	locks,							
	5.	Examine all, rungs, bolts, rivets, well	ds, and heat indicator	r							
	6.	Check lubrication of moveable parts									
	7.	***If defects found, mark defects in a or department guidelines and place			er 🗆						
	8.	Verbalizes conditions that cannot be or maintenance	corrected through cl	eaning							
	9.	Record and report all finds in accord procedures established by AHJ	ling to policies and								
	10.	If no defects found, place equipment	t in ready state								
Eva	luator:		7								
Con	nments	<b>:</b>									
Evaluator Name  Date  Overall Skill Sheet Result:  8 out of 10 required  ***critical skill required											
⊏valuat	or Signatur	е	Pass (F	P): 🗆	Fai	il (F): □					

FFI- 4.5.1A

# NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 4.5.1B

Can	didate	:					Date	:				
STA	NDARD:	ntenar	nce:	SCBA	١							
depa		n and check SCBA's, so that equipme guidelines, maintenance is recorded										
clear repo	ning and rting prod		depar	rtmental guidelin	ies, a	nd com	plete	record	ding a		for	
	EQUIPMENT: SCBA ensemble, service tags, cleaning supplies, and maintenance log book/record											
<b>CONDITIONS:</b> Given a fire station or other adequate location, the candidate shall demonstrate the ability to:												
	No. TASK STEPS TEST RETEST											
							Р	F	Р	F		
	1.	***Wears appropriate PPE						П				
	2.	Wash face piece, hoses, and exhala cleaner/disinfectant per manufacture completely with water and air dry										
	3.	Clean SCBA with damp cloth or acc		g to department	polic	ies						
	4.	Check straps and backpack assemb										
	5.	Check condition and hydrostatic test	t date	of cylinder								
	6.	Turn the cylinder valve on fully										
	7.	Compare the two pressure gauges a within the manufacturer's specification		nake sure that th	ne PS	l is						
	8.	Check regulator operation by connection by connections	cting	to face piece an	nd							
	9.	Check face piece and exhalation val	lve by	/ inhaling & exha	aling							
	10.	Check by-pass operation and ensure after testing	e by-p	pass is in the off	f posit	tion						
	11.	Check low pressure alarm while blee	eding	the air line								
	12.	Return all straps, valves, and compo	onent	s back to ready	state							
	13.	Check the air cylinder is in off position (90% - full)	on an	d for adequate a	air pre	essure						
	14.	Candidate will remove from service findings in according to policies and				/ AHJ						
Eva	Evaluator: Retest Evaluator:											
Comments:												
						Over	AII S	eleili C	Shoo	t Res		
_valuator Name Date							1 ou	t of 14	4 req	uired	<u>uit.</u>	
Evaluat	or Signatu	re				·CH	iiiCal	SKIII	requ	iii cu		
AZCFS	luator Signature  CFSE Firefighter I, revised Feb, 2024  Pass						(P)	): 🗆	F	ail (F	):□	

# NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS

FFI- 4.5.1C

Candidate:					Dat	Date:					
STA	NDAR	<b>D:</b>	NFPA 1001: 4.5.1	GEN	IERAL SKILL:	Mainte	enance:	Rope	es		
depa	<b>TASK:</b> Clean and check ropes, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.										
clear	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.										
			Ropes, service tags, cleaning sup								
CON	IDITIO	NS:	Given a fire station or other adeq	uate l	ocation, the candi	idate sh	nall demo	onstrate	e the a	ibility to	0:
	No.		TASK STE	PS			TE	ST	RETEST		
							Р	F	Р	F	
	1.	_	Wears appropriate PPE								
	2.	odo	amine the entire surface of the rop or, or fraying								
	3.		amine the inner component by twisnching and thinness	sting th	ne rope or feeling	for					
	4.		ean rope using clear water								
	5.		ow rope to dry completely, or state npletely	rope	must be allowed	to dry					
	6.	_	form additional inspection after dr								
	7.	est	cord and report all finds in accordi ablished by AHJ								
	8.		o damage found, properly store ro g storage	pe usi	ing coil method o	r rope					
Eva	luato	r:			Retest Evalu	uator:					
Cor	nmer	nts:					ı				
Evaluat	Evaluator Name							ut of 8	requ	ired	<u>ult:</u>
Evaluat	tor Signa	ature				**	**critica	ıl skill	l requ	ired	
	valuator Signature					P	ass (F	P): 🗆	Fa	ail (F	): []

Candidate:	Date:					
<b>STANDARD:</b> NFPA 1001: 4.5.1	GENERAL SKILL:	Maintenance: Ventilation Equipment & Hand Tools				
<b>TASK:</b> Clean and inspect ventilation equipment and hand tools, so that equipment and tools are clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.						
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.						
<b>EQUIPMENT:</b> Ventilation equipment, hand tools, service tags, cleaning supplies, and maintenance log book/record.						
CONDITIONS: Given a fire station or other adequ	uate location, the cand	lidate shall demonstrate the ability to:				

No.	TASK STEPS	TEST		RET	EST
		Р	F	Р	F
	VENTILATION EQUIPMENT:				
1.	Check blades for sharpness and equipment for completeness and readiness				
2.	Check that appropriate guards are in place and secure				
3.	Start equipment and ensure proper operation				
4.	For electric fans, check cords for cuts and frays				
	HAND TOOLS:				
	Wooden Handles:				
5.	Check for cracks, blister, or splinters				
6.	Sand wooden handles if needed				
7.	Clean with soapy water, rinse, and dry after use				
8.	Apply coat of boiled linseed oil to the handle				
9.	Check to ensure head is on tight				
	Fiberglass Handles:				
10.	Wash with warm, soapy water				
11.	Dry with soft, dry cloth				
12.	Check to ensure head is on tight				
	Cutting Edges:				
13.	Check to ensure cutting edge is free of nicks or tears				
14.	File the edges by hand				
	Plated Surfaces:				
15.	Inspect for damage				
16.	Wipe plated surface clean or wash with soap and water				

NFPA 1001- 2019 Ed.

# PRACTICAL SKILL REQUIREMENTS

FFI- 4.5.1D

No.		TASK STEPS			TEST		RETEST		
					Р	F	Р	F	
	Un	protected Metal Surfaces:							
17.	'								
18.	Ke								
19.	Ch	Check to ensure no paint is on surface (may hide cracks)							
20.									
	RE	• ,							
21.									
22.	If n	o damage found, properly store tools/equip	ment in a ready	state					
Evaluator: Retest Evaluator:  Comments:									
			Date		17 ou	it of 2	2 req	uired	
	17. 18. 19. 20. 21. 22.	Un 17. Kee 18. Kee 19. Che nec RE 21. Re est 22. If n	Unprotected Metal Surfaces:  17. Keep clean of rust  18. Keep oiled when not in use (Light machine oil 19. Check to ensure no paint is on surface (may have necessary)  REPORT DAMAGE:  21. Record and report all finds in according to policestablished by AHJ and place damaged equip 22. If no damage found, properly store tools/equip 19.  1ator:  Name	Unprotected Metal Surfaces:  17. Keep clean of rust 18. Keep oiled when not in use (Light machine oil or similar production of the product	Unprotected Metal Surfaces:  17. Keep clean of rust  18. Keep oiled when not in use (Light machine oil or similar product)  19. Check to ensure no paint is on surface (may hide cracks)  20. Check that metal surfaces are free of burred or sharp edges (file as necessary)  REPORT DAMAGE:  21. Record and report all finds in according to policies and procedures established by AHJ and place damaged equipment out of service  22. If no damage found, properly store tools/equipment in a ready state  Interest Evaluator:  Name  Date	Unprotected Metal Surfaces:    17.   Keep clean of rust	Unprotected Metal Surfaces:   17.   Keep clean of rust	Unprotected Metal Surfaces:	P F P F   P   F   F

# NFPA 1001- 2019 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 4.5.1E

Can	dida	te:			Dat	e:			
STA	NDAR	<b>D:</b> NFPA 1001: 4.5.1 <b>GEI</b>	NERAL SKILL:	Mainter	nance:	Salva	age E	quipm	nent
manı	<b>TASK:</b> Clean and inspect salvage equipment, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.								
clear	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.								
	IIPMEN ook/re	NT: Personal protective clothing, Salvage coord.	covers, service tag	gs, cleanir	ng supp	olies, a	nd ma	intenaı	nce
Con	IDITIO	NS: Given a fire station or other adequate	location, the cand	lidate sha	II demo	onstrate	e the a	bility to	<b>)</b> :
	No.	TASK STEPS			TE	ST	RET	EST	
					Р	F	Р	F	
	1.	***Wears appropriate PPE							
	2.	Spread the salvage cover out flat for clean	ning						
	3.	Scrub the cover with detergent solution an	id a brush						
	4.	Rinse cover thoroughly							
	5.	State cover should be thoroughly dried bef			Ш	Ш	Ш		
	6.	Check the cover thoroughly for damage by the cover above heads while looking for he		s hold					
	7.	Record and report all findings in according procedures established by AHJ and place of service		ent out					
	8.	If no damage found, properly store equipm	nent in a ready sta	ate					
Eva	luato	or:	Retest Eval	uator:					
Con	nmer	nts:							
	or Name		Date		Overall Skill Sheet Result: 6 out of 8 required ***critical skill required				ult:
_	or orgine			Pa	ss (F	P): 🗆	Fa	ail (F	): □

Candidate:	Date:					
<b>STANDARD:</b> NFPA 1001: 4.5.2	GENERAL SKILL:	Maintenance: Fire Hose				
<b>TASK:</b> Clean, inspect, and return fire hose to service, so that damage is noted and corrected, equipment is placed in a ready state or reported otherwise, and service maintenance is recorded.						
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to clean different types of hose, operate hose washing and drying equipment (if available), mark defective hose, and replace coupling gaskets, roll hose, reload hose, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.						
<b>EQUIPMENT:</b> Personal protective clothing, scrub brush, hose, cleaning supplies, replacement gaskets, hose washer and dryer (if available), tags, and maintenance log book/record.						
CONDITIONS: Given a fire station or other adeq	uate location, the candid	date shall demonstrate the ability to:				

No.	TASK STEPS		TEST		RETEST	
		Р	F	Р	F	
	CLEANING AND INSPECTION:					
1.	***Wears appropriate PPE					
2.	Clean hose using water and scrub brush (mild detergent may be used)					
3.	Clean couplings by removing gaskets, wash with warm soapy water and reinstalling gaskets (replacing if defective)					
4.	Dry hose					
5.	Inspect hose for signs of mechanical damage					
6.	Inspect hose for dirt and debris					
7.	Inspect hose for loose couplings					
8.	Inspect hose for damaged male or female threads					
9.	Inspect and verify that swivel operates freely					
10.	Record and report all findings in according to policies and procedures established by AHJ and place damaged hose out of service.					
11.	If no damage found, properly store or load hose in a ready state					
	RETURN HOSE TO SERVICE:					
	Using local fire department approved methods, identify and complete two types of hose rolls (i.e. straight, donut, twin donut, etc):					
12.	☐ Hose Roll #1					
13.	☐ Hose Roll #2					

NFPA 1001- 2019 Ed.

# PRACTICAL SKILL REQUIREMENTS

FFI- 4.5.2

	No.	D. TASK STEPS			TEST		RETEST		
					Р	F	Р	F	
		Using local fire department approved each of the following hose loads:  One preconnect attack line (i.e. m  One supply line (i.e. accordion, ho	inuteman, triple lay, f	lat)					
	14.	Preconnect hose load	·						
	15.	Supply hose load							
Eva	Evaluator:		Retest Evaluato	or:					
Con	nmen	ts:							
	or Name	ure	Date	***	critica	ıt of 1 l skil	l5 req l requ	uired iired	
				Pa	ss (P	'): ⊔	F	ail (F	'): ∐